



Inspection Report

Donald White
4 Robie Lane
Atkinson, NH 03811

Customer ID: **25186**
Certificate: **12-A-0007**
Site: 001
DONALD WHITE

Type: ROUTINE INSPECTION
Date: 08-OCT-2014

3.125(a)

FACILITIES, GENERAL.

On a majority of the enclosures there are extensive areas of rust and flaking paint covering the vertical cage bars and horizontal beams near the bottom of the cages. The rust and paint, especially on vertical surfaces, could cause injury to the sugar gliders as the animals spend time with their feet on these surfaces. Animals may accidentally ingest the material through grooming or flakes getting into food. This can contribute to illness or injury to the animals. Housing facilities shall be maintained in good repair to protect the animals from injury.

Correct by 10/8/15.

The inspection and exit briefing were conducted with the Licensee.

Prepared By: CHRISTINA DER, D V M USDA, APHIS, Animal Care

Date:
08-OCT-2014

Title: VETERINARY MEDICAL OFFICER 6068

Received by Title: LICENSEE

Date:
08-OCT-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
25186	12-A-0007	001	DONALD WHITE	08-OCT-14

Count	Scientific Name	Common Name
000138	<i>Petaurus breviceps</i>	SUGAR GLIDER
000138	Total	