



Inspection Report

SAMUEL Z BRUBACKER
5320 PRE-EMPTION RD
DUNDEE, NY 14837

Customer ID: **25383**
Certificate: **21-A-0083**
Site: 001
SAMUEL BRUBACKER

Type: ROUTINE INSPECTION
Date: 20-JAN-2022

3.3(d)

Sheltered housing facilities.

The ambient temperature outside at the time of the inspection was 12 deg F. The indoor portion of the sheltered facility was approximately 68 deg F during the inspection. The sheltered boxes for the dogs are fully enclosed with a top that lifts off and inside the box there is a metal shift door that opens to the outdoor portion of the run. For three sheltered boxes, the shift doors were propped open with a wood block to assist dogs going in and out of the box. When a kestrel handheld reader was left in the box for 10 minutes, the temperature in the box read 35 deg F. In keeping the door propped open, this shelter does not adequately protect the dogs from the elements at all times to protect their health. Doors provided need to be able to open and close appropriately to maintain heat in the box.

The licensee stated they would move dogs who could not work the doors effectively to the heated whelping building by end of day.

Correct by: Jan 21, 2022

3.6(a)(1)

Repeat

Primary enclosures.

Prepared By: ANDREA D AMBROSIO
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
21-JAN-2022

Received by Title: Licensee

Date:
21-JAN-2022



Inspection Report

*** There are still several sections of wood inside the shelter boxes that are heavily worn through chewing or scratching directly over the feeders. These areas no longer enable the surfaces to be readily cleaned and sanitized and are not in good repair.

*** Several sections of the plastic paneling over the wood in a few boxes are in disrepair and are cracked and chewed causing sharp points and exposing surfaces that cannot be effectively cleaned and sanitized.

3.11(a) Repeat
Cleaning, sanitization, housekeeping, and pest control.

*** The shelter boxes in the main kennel are not being spot cleaned daily and a few have excess food that needs to be removed and one box had excess feces and food that needs to be removed and cleaned. Fecal and food waste must be removed from primary enclosures daily to keep the enclosure clean and for the health of the dogs.

This inspection and exit interview were conducted with the licensee.

Prepared By: ANDREA D AMBROSIO
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
21-JAN-2022

Received by Title: Licensee

Date:
21-JAN-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
25383	21-A-0083	001	SAMUEL BRUBACKER	20-JAN-2022

Count	Scientific Name	Common Name
000023	<i>Canis lupus familiaris</i>	DOG ADULT
000006	<i>Canis lupus familiaris</i>	DOG PUPPY
000029	Total	