



Inspection Report

Schuyler Creek Farm
Po Box 155
Fayette, NY 13065

Customer ID: **328049**

Certificate: **21-A-0161**

Site: 001

SCHUYLER CREEK FARM

Type: ROUTINE INSPECTION

Date: 24-MAR-2014

3.6(a)(1)

PRIMARY ENCLOSURES.

*** One enclosure along the back wall to the far right of the building has flooring excessively scratched by the dog. This section of the floor needs to be addressed to keep the enclosure in good repair and to facilitate cleaning of the enclosure.

*** The enclosure along the back wall to the far left of the building has two dogs that are chewing the wood excessively. The wood is chewed to the point nails are exposed along the top frame on the inside section and the door frame on the outside section of the run. These sections of wood need to be replaced to keep the enclosures in good repair and for the safety of the dogs.

*** The metal section along the back wall of the outside large breed enclosures has an area that is rusted to the point holes are in the metal and the structural integrity of the metal is compromised. This section of the enclosure needs to be replaced for the safety of the dogs.

Correct by: May 15, 2014

An exit briefing was conducted with the licensee at the time of the inspection.

Prepared By: ANDREA D AMBROSIO, A C I USDA, APHIS, Animal Care

Date:
27-MAR-2014

Title: ANIMAL CARE INSPECTOR 6003

Received by Title: CERTIFIED MAIL # 7013 3020 0001 5613 3971

Date:
27-MAR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328049	21-A-0161	001	SCHUYLER CREEK FARM	24-MAR-14

Count	Scientific Name	Common Name
000011	<i>Canis lupus familiaris</i>	DOG ADULT
000010	<i>Canis lupus familiaris</i>	DOG PUPPY
000021	Total	