



Inspection Report

Lerak Enterprises LLC
Po Box 347
Freeville, NY 13068

Customer ID: **324615**

Certificate: **21-A-0177**

Site: 002

LERAK ENTERPRISES LLC

Type: ROUTINE INSPECTION

Date: 13-AUG-2020

3.125(a) CRITICAL

FACILITIES, GENERAL.

*** At the time of the inspection, the female red kangaroos and two joeys were being housed in the main building and not able to have access to the runway and large outdoor pens. The licensee stated that foxes have been able to get into the pen through gaps in the wire and have killed some joeys that were out of pouch. The male red kangaroos still have access to the runway, building and larger pens. Outdoor facilities and primary enclosure fences must be maintained in good repair to protect animals from injuries. The fencing should be addressed to keep wild animals out of the enclosures for the safety of all animals and to allow the females access to the outdoor areas for their health and well being.

Correct by: Aug 28, 2020

This inspection and exit interview were conducted with the licensee.

Prepared By: D AMBROSIO ANDREA, A C I USDA, APHIS, Animal Care

Date:
14-AUG-2020

Title: ANIMAL CARE INSPECTOR 6003

Received by Title: SENT VIA EMAIL

Date:
14-AUG-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324615	21-A-0177	002	LERAK ENTERPRISES LLC	13-AUG-20

Count	Scientific Name	Common Name
000013	<i>Capra hircus</i>	DOMESTIC GOAT
000012	<i>Osphranter rufus</i>	RED KANGAROO
000025	Total	