



## Inspection Report

---

MELVIN B SHIRK  
4341 STATE ROUTE 364  
PENN YAN, NY 14527

Customer ID: **330612**  
Certificate: **21-A-0178**  
Site: 001  
MELVIN SHIRK

Type: ROUTINE INSPECTION  
Date: 14-JUN-2022

---

### 3.1(c)(1)(i)

#### Housing facilities, general.

A few of the chain link panels for the outside runs are rusted in areas that have degraded the metal and created broken and sharp edges. This level of rust can affect the structural integrity of the enclosure and does not allow the area to be effectively cleaned and sanitized. These chain link panels should be replaced to facilitate cleaning and for the safety of the dogs.

Correct by: June 22, 2022

### 3.13(a)(2)

#### Veterinary care for dogs.

The last complete physical exam of all the dogs was conducted in May 2021, but the records could not be located for review. Per this regulation, the dogs must have a complete physical exam at least once every 12 months to assure their health needs are being met and addressed. Correct by scheduling a visit with the AV for these exams and maintain records for APHIS review.

Correct by: June 22, 2022

---

Prepared By: ANDREA D AMBROSIO  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
17-JUN-2022

Received by Title: Licensee

Date:  
17-JUN-2022



## Inspection Report

---

This inspection and exit interview were conducted with the licensee.

---

**Prepared By:** ANDREA D AMBROSIO  
USDA, APHIS, Animal Care  
**Title:** ANIMAL CARE INSPECTOR

**Date:**  
17-JUN-2022

**Received by Title:** Licensee

**Date:**  
17-JUN-2022



**Species Inspected**

| Cust No | Cert No   | Site | Site Name    | Inspection  |
|---------|-----------|------|--------------|-------------|
| 330612  | 21-A-0178 | 001  | MELVIN SHIRK | 14-JUN-2022 |

| Count  | Scientific Name               | Common Name |
|--------|-------------------------------|-------------|
| 000013 | <i>Canis lupus familiaris</i> | DOG PUPPY   |
| 000018 | <i>Canis lupus familiaris</i> | DOG ADULT   |
| 000031 | <b>Total</b>                  |             |