



Inspection Report

Jamie Poush
697A Evergreen Ave Apt 1
Brooklyn, NY 11207

Customer ID: **507926**
Certificate: **21-A-0211**
Site: 001
Jamie Poush

Type: ROUTINE INSPECTION
Date: 23-SEP-2025

3.1(a)

Housing facilities, general.

Several of the walls in the indoor dog areas are in a state of disrepair. In the medium sized room, housing seven dogs, there is a large hole, approximately 8" x 12", in the wall adjacent to the whelping area. On the other side of the whelping area, there are two additional holes in the wall which are approximately 3"x 2" and 5"x2" in size. In the large dog room, housing five dogs, there is an area of dry wall, to the left of the main door, that is damaged and has exposed untreated wood. Lastly, in the small dog room, housing five dogs, there is a hole, approximately 2"x1", in the dry wall in the right corner behind the dog bed.

Dog housing facilities which have holes and areas of disrepair can lead to entrapment, chewing and ingestion of foreign materials, or injury to the animals.

Housing facilities for dogs must be designed and constructed so that they are structurally sound and kept in good repair to protect the animals from injury. Correct by repairing the walls to ensure that they are structurally sound for the dogs.
Correct by: October 23, 2025.

3.1(c)(1)(i)

Housing facilities, general.

There are several areas of rust in the dog rooms. In the medium sized room, there is a dog bed with large metal clamps used to secure a blanket which are completely covered in rust. Near the entrance to this room, the bottoms of the white gates are rusted and have started to flake. In the large dog room, the bottom of the main door is deteriorating due to rust and appears pitted. In the small dog enclosure, there is an additional dog bed with rusted metal clamps.

Surfaces within dog enclosures that have excessive amounts of rust can affect the structural integrity of the enclosure and make it difficult to properly clean which could lead to injury or disease conditions in the dogs.

Interior surfaces and any surfaces that come in contact with dogs or cats must be free of excessive rust that prevents the required cleaning and sanitization or that affects the structural strength of the surface. Correct by removing, repairing, or replacing the rusted surfaces in the dog areas.

Correct by: October 23, 2025.

3.13(a)(3)

Veterinary care for dogs.

Prepared By: AMY NOOYEN
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
29-SEP-2025

Received by Title: Licensee

Date:
29-SEP-2025



Inspection Report

The program of veterinary care does not include a schedule for sampling of parasites for the dogs. The facility performs occasional parasite sampling if illness is observed, but they do not have a routine sampling scheduled approved by their attending veterinarian at this time.

Routine sampling for parasites and other pests is important to ensure the overall health of the adult dogs. The written program of veterinary care must include sampling and treatment of parasites and other pests (including fleas, worms, coccidia, giardia, and heartworm) in accordance with a schedule approved by the attending veterinarian. Correct by including a veterinary approved sampling schedule for parasites within your program of vet care. Correct by: October 7, 2025.

This inspection and exit interview were conducted with the licensee.

Prepared By: AMY NOOYEN
USDA, APHIS, Animal Care

Date:
29-SEP-2025

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
29-SEP-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
507926	21-A-0211	001	Jamie Poush	23-SEP-2025

Count	Scientific Name	Common Name
000044	<i>Felis catus</i>	CAT ADULT
000016	<i>Felis catus</i>	CAT KITTEN
000017	<i>Canis familiaris</i>	DOG ADULT
000007	<i>Canis familiaris</i>	DOG PUPPY
000084	Total	