



Inspection Report

JONAS MILLER CLARA MILLER
11991 STATE ROUTE 19
FILLMORE, NY 14735

Customer ID: **506002**

Certificate: **21-B-0207**

Site: 001

JONAS MILLER CLARA MILLER

Type: ROUTINE INSPECTION

Date: 17-AUG-2021

3.4(b)

Outdoor housing facilities.

One female husky is in a pen with a dog igloo shelter structure that is not large enough for her. She is several inches taller than the structure and cannot stand in the structure or lie in a normal manner and turn about freely. This dog needs a larger structure that provides adequate shelter from the elements while allowing her to be in the shelter in a comfortable manner.

Correct by: Aug 25, 2021

3.11(b)(2)

Cleaning, sanitization, housekeeping, and pest control.

The facility uses a PVC pipe that runs down the far wall of the outdoor pen for the dogs to have a continuous flow of water. In one enclosure the pipe opening had floating algae in the water and in a few other pens there was a layer of algae and grime on the PVC opening. These PVC water receptacles need to be cleaned and sanitized at least once every two weeks and more often if necessary to prevent this accumulation of algae and debris.

Correct by: Aug 22, 2021

Prepared By: ANDREA D AMBROSIO

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

18-AUG-2021

Received by Title: Licensee

Date:

18-AUG-2021



Inspection Report

This inspection and exit interview were conducted with the licensee.

Prepared By: ANDREA D AMBROSIO
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
18-AUG-2021

Received by Title: Licensee

Date:
18-AUG-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
506002	21-B-0207	001	JONAS MILLER CLARA MILLER	17-AUG-2021

Count	Scientific Name	Common Name
000021	<i>Canis lupus familiaris</i>	DOG ADULT
000013	<i>Canis lupus familiaris</i>	DOG PUPPY
000034	Total	