



Inspection Report

James Weaver
810 Weavertown Road
Myerstown, PA 17067

Customer ID: **31668**
Certificate: **23-A-0305**
Site: 001
JAMES M WEAVER

Type: ROUTINE INSPECTION
Date: 13-DEC-2018

3.31(a)(1)

SANITATION.

There is a heavy buildup of brown roughened scale and debris on the back walls, side supports, ventilation pipe, and the drainage pipe of guinea pig enclosures. In addition, enclosure # 1 housing 15 adult guinea pigs and enclosure # 13 housing 16 adult guinea pigs have accumulations of excreta and dirty bedding. The cleaning process (method and frequency) utilized is not effective in removing this accumulation of scale, debris, excreta, and dirty bedding inside the enclosures. Ineffective cleaning and sanitation exposes the animals to potential disease hazards such as bacterial, fungal, and viral diseases. Correct by ensuring that all primary enclosures are clean and sanitized often enough to prevent an accumulation of scale, debris, excreta, and dirty bedding. Additionally, ensure that the primary enclosures are sanitized at least once every two weeks. Correct by December 15, 2018.

This inspection and exit interview were conducted with the owner's wife.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
13-DEC-2018

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER'S WIFE

Date:
13-DEC-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
31668	23-A-0305	001	JAMES M WEAVER	13-DEC-18

Count	Scientific Name	Common Name
000511	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000511	Total	