



## Inspection Report

---

Amos W Zimmerman  
51 W Farmersville Rd  
Ephrata, PA 17522

Customer ID: **31930**

Certificate: **23-A-0306**

Site: 001

AMOS W ZIMMERMAN

Type: ROUTINE INSPECTION

Date: 02-AUG-2017

---

No non-compliant items identified during this inspection.

Note: Primary enclosures section 3.28(a)(1) and Feeding section 3.29(d), previously cited on the inspection report dated June 21, 2017 still need to be corrected. Correction time still remain for these two items. Replacement feeders have been ordered and new enclosures are being built.

This inspection and exit interview were conducted with the facility representative.

---

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:  
02-AUG-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: FACILITY REPRESENTATIVE

Date:  
02-AUG-2017



## Species Inspected

| Cust No | Cert No   | Site | Site Name        | Inspection |
|---------|-----------|------|------------------|------------|
| 31930   | 23-A-0306 | 001  | AMOS W ZIMMERMAN | 02-AUG-17  |

| Count         | Scientific Name        | Common Name         |
|---------------|------------------------|---------------------|
| 000202        | <i>Cavia porcellus</i> | DOMESTIC GUINEA PIG |
| <b>000202</b> | <b>Total</b>           |                     |