



Inspection Report

SAMUEL STOLTZFUS
305 FREMONT ROAD
NOTTINGHAM, PA 19362

Customer ID: **42797**
Certificate: **23-A-0474**
Site: 001
SAMUEL STOLTZFUS

Type: ROUTINE INSPECTION
Date: 04-JAN-2022

3.28(c)(1)(iii)

Repeat

Primary enclosures.

Space. Insufficient space was being provided to approximately 58 enclosures housing 20 weanlings in each enclosure. Enclosures measure 30 inches by 28 inches or 840 square inches. Weanlings weighing up to 350 grams require a least 60 square inches. Can not house more than 14 weanlings in this size enclosure.

In addition, insufficient space was being provided to approximately 150 weanling females in a temporary enclosure on the floor. Enclosure measured 52.5 inches by 48 inches or 2520 square inches. Can not house more than 42 weanlings in this size enclosure.

Inadequate space can cause stress, crowding, and aggression in animals. Licensee must ensure that guinea pigs are provided with at least the minimum space requirements to prevent unnecessary stress and discomfort to the animals.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
04-JAN-2022

Received by Title: Licensee

Date:
04-JAN-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42797	23-A-0474	001	SAMUEL STOLTZFUS	04-JAN-2022

Count	Scientific Name	Common Name
003398	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
003398	Total	