



Inspection Report

Lester Hoover
379 North Hershey Ave
Leola, PA 17540

Customer ID: **325840**
Certificate: **23-A-0534**
Site: 001
LESTER HOOVER

Type: ROUTINE INSPECTION
Date: 28-APR-2015

3.31(a)(4)

SANITATION.

The licensee stated during the inspection that he disinfects the guinea pig enclosures using clorax, but does not use a detergent. Lack of a proper sanitation program exposes the animals to potential disease hazards such as bacterial, fungal, and viral diseases. Primary enclosures must be sanitized at least once every 2 weeks or as necessary with proper agents to sufficiently disinfect all surfaces that the guinea pigs may come in contact. Proper sanitation of primary enclosures is necessary to minimize the risks of disease to the animals housed therein. Correct by ensuring a proper sanitation method is established and maintained.

Correct by May 1, 2015

An exit briefing was conducted with the owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
28-APR-2015

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
28-APR-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325840	23-A-0534	001	LESTER HOOVER	28-APR-15

Count	Scientific Name	Common Name
000090	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000090	Total	