



Inspection Report

Paul S Zook
181 Amsterdam Rd
New Holland, PA 17557

Customer ID: **32735**
Certificate: **23-A-0537**
Site: 001
PAUL S ZOOK

Type: ROUTINE INSPECTION
Date: 07-APR-2015

2.40(a)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The written program of veterinary care on file is incomplete. There is no information on the type, dosage, and route of administration for ivermectin for the ectoparasite control program. The program of veterinary care must be complete to provide adequate guidance to the owner to maintain the health and well-being of the animals. Correct by adding the type of ivermectin used, dosage and route of administration to the written program of veterinary care.

Correct by April 15, 2015

3.28(a)(1)

PRIMARY ENCLOSURES.

The divider separating the last two enclosures on the west side of the building has chewed wood along the top of the divider. Surfaces in contact the guinea pigs must be maintained in good repair and constructed of smooth material substantially impervious to liquids and moisture. The wooden divider must be replaced or repaired with a surface which is in good repair and impervious to moisture so that the surface can be repeatedly cleaned and disinfected.

Correct by April 15, 2015

An exit briefing was conducted with the owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
07-APR-2015

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
07-APR-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
32735	23-A-0537	001	PAUL S ZOOK	07-APR-15

Count	Scientific Name	Common Name
000370	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000370	Total	