



Inspection Report

Steven M Ebersol
604 Gault Road
Gap, PA 17527

Customer ID: **325679**
Certificate: **23-A-0580**
Site: 001
STEVEN EBERSOL

Type: ROUTINE INSPECTION
Date: 19-AUG-2015

3.25(c)

FACILITIES, GENERAL.

Storage. There is an open feed barrel on the floor in the guinea pig room. Food supplies need to be stored in containers with tightly fitting lids or covers or in the original containers as received from the commercial sources of supply. Open feed must be stored in containers with lids or covers to protect supplies from contamination. Correct by August 22, 2015.

3.31(c)

SANITATION.

Pest control. Several flies were present in the guinea pig room. There is a chicken house on the same premises. The presence of flies creates conditions which promotes undue stress for the animals and creates conditions which promotes the spread of disease. within the facility. There were no fly strips or screens on windows and door to reduce or control flies. Measures such as screening on windows and door and fly strips are needed to control or eliminated the fly problem. An effective pest control program must be established and maintained to control flies and to protect the health of the guinea pigs. Correct by August 28. 2015

An exit briefing was conducted with the owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
19-AUG-2015

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
19-AUG-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325679	23-A-0580	001	STEVEN EBERSOL	19-AUG-15

Count	Scientific Name	Common Name
000138	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000138	Total	