



## Inspection Report

---

Steven M Ebersol  
604 Gault Road  
Gap, PA 17527

Customer ID: **325679**  
Certificate: **23-A-0580**  
Site: 001  
STEVEN EBERSOL

Type: ROUTINE INSPECTION  
Date: 19-SEP-2016

---

### 3.25(c)

#### FACILITIES, GENERAL.

Storage. There is feed in an open container on the floor of the guinea pig room. Food supplies must be stored in containers with tightly fitting lids or covers or in the original containers as received from the commercial sources of supply. Open feed must be stored in containers with lids or covers to protect supplies from contamination, spoilage, and pests. Correct by September 26, 2016.

This inspection and exit interview were conducted with the owner.

---

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:  
19-SEP-2016

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:  
19-SEP-2016



## Species Inspected

| Cust No | Cert No   | Site | Site Name      | Inspection |
|---------|-----------|------|----------------|------------|
| 325679  | 23-A-0580 | 001  | STEVEN EBERSOL | 19-SEP-16  |

| Count         | Scientific Name        | Common Name         |
|---------------|------------------------|---------------------|
| 000094        | <i>Cavia porcellus</i> | DOMESTIC GUINEA PIG |
| <b>000094</b> | <b>Total</b>           |                     |