



Inspection Report

Stephen G Lantz
305 Iona Drive
Lebanon, PA 17042

Customer ID: **321760**
Certificate: **23-A-0584**
Site: 001
STEPHEN LANTZ

Type: ROUTINE INSPECTION
Date: 10-MAR-2016

2.40(a)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The written Program of Veterinary Care (PVC) for this facility lacks specific guidance for the care of animals. The PVC states that the method CO2 euthanasia will be follow the AVMA Guidelines with no details on its use at the facility by personnel. There is no specific guidance in the PVC for the method of euthanasia to be used by the facility, including its use, equipment, and personnel trained to perform euthanasia for guinea pigs. Specific guidance and training in the procedure for euthanasia by the attending veterinarian is required to ensure animals are humanely euthanized according to the latest AVMA Guidelines for the Euthanasia of Animal (2013 edition).

Additional specific guidance is required for the Program of Veterinary Care. Failure to have specific accurate guidance does not ensure the attending veterinarian is aware of the current practices at the facility and does not ensure the facility has accurate guidance to provide adequate veterinary care to the animals. Correct by developing and implementing a complete, accurate Program of Veterinary Care for the guinea pigs. Correct by April 1, 2016.

3.28(a)(1)

PRIMARY ENCLOSURES.

The following primary enclosures need repair:

- (1) Row 3, the 5th top enclosure housing 10 adult guinea pigs has chewed metal with sharp edges covering the right wooden frame.
- (2) Row 3, the 6th top enclosure housing 10 adult guinea pigs has chewed metal with sharp edges covering the right wooden frame.

Primary enclosures must be structurally sound and maintained in good repair to protect the guinea pigs from injury. All enclosures, including their racks, shelving and other accessories, shall be constructed of smooth material substantially impervious to liquids and moisture so that surfaces can be repeatedly cleaned and sanitized. Licensee must develop a maintenance program to ensure that enclosures are repaired on a regular basis. The two

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
10-MAR-2016

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: LICENSEE

Date:
10-MAR-2016



Inspection Report

enclosures with chewed metal and sharp edges must be repaired or replaced to prevent injury to the guinea pigs. Correct by March 19, 2016.

3.31(b)

SANITATION.

There are accumulations of dirt and debris on the CO2 tank, chamber, and desk top. Animal facilities, equipment and supplies must be kept clean to ensure the health and well-being of the animals. Licensee must establish and maintain a program to keep the animal facilities clean. Correct by March 12, 2016.

An exit briefing was conducted with the licensee.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
10-MAR-2016

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: LICENSEE

Date:
10-MAR-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321760	23-A-0584	001	STEPHEN LANTZ	10-MAR-16

Count	Scientific Name	Common Name
000635	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000635	Total	