United States Department of Agriculture
Animal and Plant Health Inspection Service

CRADZAI
INS-0000858306

Inspection Report

LEVI KING
759 E END MOUNTAIN RD
MILL HALL, PA 17751

Customer ID: **327993**
Certificate: **23-A-0596**
Site: 002
LEVI KING

Type: ROUTINE INSPECTION
Date: 21-MAR-2023

3.26(a) **Repeat**

Facilities, indoor.

The temperature in the guinea pig housing facility near the wall heater was 60 degrees F or above, as measured with a kestrel, but the temperature furthest from the heater was approximately 57.9 degrees F.

Guinea pigs kept in ambient temperatures that are too low may be subject to cold stress that may cause discomfort and predispose them to developing other health issues.

The ambient temperature in indoor housing facilities for guinea pigs must not fall below 60 degrees F.

3.28(c)(1)(iii)

Primary enclosures.

There was one guinea pig pen that did not provide the required amount of floor space. There were 51 weanling guinea pigs housed in a pen that measured 24 by 96 inches or 2,304 square inches of floor space. Each weanling requires a minimum of 60 square inches of floor space. Total floor space required to house these weanlings is 3,060 square inches. There cannot be more than 38 weanling guinea pigs housed in an enclosure measuring 24 by 96 inches.

Inadequate space can cause stress, crowding, and aggression in animals.

The licensee must ensure that all guinea pigs are provided with the minimum amount of floor space in order to avoid

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER
Date: 21-MAR-2023

Received by Title: Licensee
Date: 21-MAR-2023

Inspection Report

overcrowding and to support the health and well-being of the guinea pigs.

Correct by: March 28, 2023

This inspection and exit interview were conducted with the facility representative.

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care

Date: 21-MAR-2023

Title: VETERINARY MEDICAL OFFICER

Received by Title: Licensee

Date: 21-MAR-2023

United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 327993
Inspection Date: 21-Mar-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327993	23-A-0596	002	LEVI KING	21-MAR-2023

Count	Scientific Name	Common Name
001050	*Cavia porcellus*	DOMESTIC GUINEA PIG
001050	**Total**	