



Inspection Report

John D Beiler
692 Bud Drik Rd
Allenwood, PA 17810

Customer ID: **331683**
Certificate: **23-A-0602**
Site: 001
JOHN BEILER

Type: ROUTINE INSPECTION
Date: 05-MAY-2016

2.40(a)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The Program of Veterinary Care (PVC) available at the time of inspection was last updated by signature in November 2014. The PVC had not changed according to the owner but there was no record of the veterinarian visiting the premise in the last year. The PVC must be maintained current through veterinary visits to the facility to assure that appropriate veterinary and husbandry care is given as directed by the veterinarian based on observations of the facility and animals. Correct by having the veterinarian visit the facility and update the PVC as needed, then sign the form in the PVC indicating the veterinarian has visited the facility. The PVC and the signature form with other relevant information must be maintained and available for USDA personnel to review. To be corrected by 23 May 2016

3.28(a)(1)

PRIMARY ENCLOSURES.

The floor of the enclosure, second from the top on the left hand side immediately inside the door, was broken by the right front corner and showed the core of the board which was not substantially impervious to moisture as required. Another break in the floor was evident from underneath at the middle of the back side. Correct by ensuring: Primary enclosures are structurally sound and maintained in good repair to protect the guinea pigs and hamsters from injury. And that, such enclosures, including their racks, shelving and other accessories, are constructed of smooth material substantially impervious to liquids and moisture. To be corrected by 12 May 2016

3.31(b)

SANITATION.

Cobwebs holding dust and bedding were present throughout the facility at the time of inspection. The accumulations in these cobwebs provide a source for irritation of the airway in the guinea pigs and could make them susceptible to respiratory disease. Correct by assuring the premises (buildings and grounds) are kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices. To be corrected by: 9 May 2016.

An exit interview was conducted with the facility owner.

Prepared By: DAVID OELBERG, D V M USDA, APHIS, Animal Care

Date:
05-MAY-2016

Title: VETERINARY MEDICAL OFFICER 1043

Received by Title: OWNER

Date:
05-MAY-2016



Inspection Report

Prepared By: DAVID OELBERG, D V M USDA, APHIS, Animal Care

Date:
05-MAY-2016

Title: VETERINARY MEDICAL OFFICER 1043

Received by Title: OWNER

Date:
05-MAY-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
331683	23-A-0602	001	JOHN BEILER	05-MAY-16

Count	Scientific Name	Common Name
000257	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000257	Total	