



Inspection Report

CHRIST KING
100 SPROUL RD
CHRISTIANA, PA 17509

Customer ID: **332637**
Certificate: **23-A-0605**
Site: 001
CHRIST KING

Type: ROUTINE INSPECTION
Date: 12-DEC-2022

3.28(b)(3)(iii)

Primary enclosures.

Space. Insufficient space was being provided in two weanling enclosures that measure 78 inches by 24 inches or 1872 square inches of floor space. The top weanling enclosure had approximately 43 weanlings and the bottom enclosure had 40 weanlings. Weanling guinea pigs weighing up to 350 grams required at least 60 inches of floor space each. Can not house more than 31 weanlings in this size enclosure.

Insufficient space can cause stress, overcrowding, and aggression in guinea which can lead to injuries and increased health risks. Licensee must ensure that guinea pigs are provided with at least the minimum amount of floor space per animal to prevent stress and aggression. Correct by December 22, 2022.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
12-DEC-2022

Received by Title: Licensee

Date:
12-DEC-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332637	23-A-0605	001	CHRIST KING	12-DEC-2022

Count	Scientific Name	Common Name
000796	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000796	Total	