



Inspection Report

Isaac F Petersheim
310 Conestoga Creek Road
East Earl, PA 17519

Customer ID: **332810**
Certificate: **23-A-0609**
Site: 001
ISAAC F PETERSHEIM

Type: ROUTINE INSPECTION
Date: 11-AUG-2015

3.26(c)

FACILITIES, INDOOR.

Lighting. The lighting in the guinea pig room is not adequate to care and observe the animals properly. The room is too dark to adequately observe the animals especially in the lower enclosures. Lighting in guinea pig facilities must be uniformly distributed and of sufficient light intensity to permit routine inspection and cleaning during the entire working period. Additional lighting must be provided in the guinea pig room to allow proper observation of the animals and adequate cleaning of facilities. Correct by September 1, 2015.

3.31(a)(1)

SANITATION.

Primary enclosures for guinea pigs are not being cleaned adequately or often enough to remove accumulations of dust, dirt, cobwebs, and soiled bedding. All enclosures have accumulations of dust, dirt, cobwebs, excreta, and soiled bedding. The wire sides and frames have accumulations of cobwebs and debris. The cleaning process (method and frequency) utilized is not effective in removing this accumulation both inside and outside the enclosures. The licensee stated that the enclosures are usually cleaned each Saturday. Ineffective cleaning and sanitation exposes the animals to disease hazards and health problem. Primary enclosures must be cleaned often enough to prevent an accumulation of dust, dirt, cobwebs and soiled bedding. Correct by ensuring that all enclosures are kept clean and sanitized often enough to prevent an accumulation of dust, dirt, cobwebs, excreta, and dirty bedding. Correct by August 12, 2015.

3.31(c)

SANITATION.

Pest control. Numerous flies were present in the guinea pig room. The presence of flies creates conditions which promotes undue stress for the animals and creates conditions which promotes the spread of disease within the facility. The fly strips in the animal room are not effective in reducing the current fly problems. Additional measures such as screening the door and windows is needed to control or eliminate the fly problem. An effective pest program must be established and maintained to control flies. Correct by August 19, 2015

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
11-AUG-2015

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
11-AUG-2015



Inspection Report

An exit briefing was conducted with the owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
11-AUG-2015

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
11-AUG-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332810	23-A-0609	001	ISAAC F PETERSHEIM	11-AUG-15

Count	Scientific Name	Common Name
000104	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000104	Total	