



Inspection Report

PAUL ZOOK
181 AMSTERDAM RD
NEW HOLLAND, PA 17557

Customer ID: **32735**
Certificate: **23-A-0621**
Site: 001
PAUL ZOOK

Type: ROUTINE INSPECTION
Date: 11-FEB-2021

3.31(b) Repeat

Sanitation.

Housekeeping. There was still a buildup of loose hay in the aisles of the guinea room. The ceiling, walls, windows, sink area, and upper wall sections of guinea pig enclosures had loose hay, cobwebs, dust, dirt, and debris. Animal facilities must be kept clean to ensure good quality of air for the animals and to prevent unnecessary disease risks. Ineffective cleaning and housekeeping exposes the guinea pigs to disease hazards and health problems. Correct by ensuring the premises are kept clean, including: removing accumulations of loose hay, cobwebs, dust, dirt, and debris; cleaning the floor, walls, ceiling, windows, upper wall sections of the guinea pig enclosures, and sink area; and maintaining a level of general cleanliness to support good animal husbandry and health.

Remains uncorrected.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
11-FEB-2021

Received by Title: Licensee

Date:
11-FEB-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
32735	23-A-0621	001	PAUL ZOOK	11-FEB-2021

Count	Scientific Name	Common Name
000296	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000296	Total	