



Inspection Report

Isaac F Petersheim
310 Conestoga Creek Road
East Earl, PA 17519

Customer ID: **332810**
Certificate: **23-A-0627**
Site: 001
ISAAC PETERSHEIM

Type: ROUTINE INSPECTION
Date: 21-SEP-2016

3.31(a)(1)

SANITATION.

There is a buildup of brown roughened scale and debris on the sides and floor of the guinea pig enclosures. The accumulation of brown roughened scale and debris exposes the guinea pigs to potential infections with bacteria, fungi, and parasites. Correct by ensuring that all primary enclosures are clean and sanitized often enough to prevent an accumulation of scale and debris. Additionally, ensure that the primary enclosures are sanitized at least once every two weeks. Correct by September 28, 2016.

This inspection and exit interview were conducted with the owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
21-SEP-2016

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
21-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332810	23-A-0627	001	ISAAC PETERSHEIM	21-SEP-16

Count	Scientific Name	Common Name
000137	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000137	Total	