



Inspection Report

ANNIE ZOOK ELMER ZOOK
1070 OSCEOLA DR
DRUMORE, PA 17518

Customer ID: **500704**

Certificate: **23-A-0635**

Site: 001

ANNIE S ZOOK, ELMER ZOOK

Type: ROUTINE INSPECTION

Date: 16-AUG-2022

3.28(c)(1)(iii)

Primary enclosures.

Space. Insufficient space was being provided to guinea pigs in the following enclosures in room #2:

Enclosure # 42 was housing at least 26 adult guinea pigs.

Enclosure # 55 was housing 25 adult guinea pigs.

Enclosure # 59 was housing 22 adult guinea pigs.

These three enclosure each measure 36 inches by 48 inches or 1728 square inches of floor space. Guinea pigs weighing over 350 grams require at least 101 square inches of floor space each. Maximum number of weaning guinea pigs weighing over 350 grams and adult guinea pigs in this size enclosure is 17.

Inadequate space can cause stress, overcrowding, and can increase aggression in animals which can result in ear chewing, bites, and other injuries from fighting. Licensee must ensure that guinea pigs are provided with at least the minimum amount of floor space per animal to prevent unnecessary stress, discomfort, and aggression. Correct by August 21, 2022.

Prepared By: ROBERT MARKMANN

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

16-AUG-2022

Received by Title: Licensee

Date:

16-AUG-2022



Inspection Report

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
16-AUG-2022

Received by Title: Licensee

Date:
16-AUG-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500704	23-A-0635	001	ANNIE S ZOOK, ELMER ZOOK	16-AUG-2022

Count	Scientific Name	Common Name
003235	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
003235	Total	