



Inspection Report

Keith Nolt
1519 Slate Hill Rd
Peach Bottom, PA 17563

Customer ID: **501256**
Certificate: **23-A-0637**
Site: 001
KEITH NOLT

Type: ROUTINE INSPECTION
Date: 20-JUN-2017

3.28(a)(1)

PRIMARY ENCLOSURES.

The following enclosures need repair:

- Pen 9 housing 5 adult pigs, the floor was sagging allowing bedding to fall out on to Pen 10 below.
- Pen 10 housing 6 adult pigs, the left wire partition was detached from the solid wall below.
- Pen 24 housing 8 adult pigs including, the right wire partition was detached from the solid wall below.

Enclosures must be kept in good repair to prevent injury and escape. The licensee must ensure that primary enclosures are maintained on a regular basis to prevent injury. Correct by June 27, 2017

3.31(a)(1)

SANITATION.

The majority of the 60 enclosures were found to have a build up of brown scale and debris along the sides. The accumulation of scale and debris can increase the potential that the guinea pigs are exposed to fungus, parasites and bacteria. Correct by ensuring all the primary enclosures are cleaned and sanitized often enough to prevent an accumulation of scale and debris. Correct by June 23, 2017.

This inspection and exit interview were conducted with the owner.

Additional Inspectors

Crowley Lacy, Veterinary Medical Officer

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
20-JUN-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
20-JUN-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501256	23-A-0637	001	KEITH NOLT	20-JUN-17

Count	Scientific Name	Common Name
000474	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000474	Total	