



Inspection Report

Keith Nolt
1519 Slate Hill Road
PEACH BOTTOM, PA 17563

Customer ID: **501256**
Certificate: **23-A-0637**
Site: 001
KEITH NOLT

Type: ROUTINE INSPECTION
Date: 02-NOV-2022

3.28(c)(1)(iii)

Primary enclosures.

Space. Insufficient space was being provided in two enclosures each housing 16 or more older weanling/adult guinea pigs. Enclosures measure 48 inches by 24 inches or 1152 square inches of floor space. Guinea pigs weighing over 350 grams require at least 101 square inches of floor space per animal. Can house more than 11 older weanlings/adults in this size enclosure.

Inadequate space can cause stress, overcrowding, health problems, and aggression in animals. Licensee must ensure that guinea pigs are provided with at least the minimum amount of floor space per animal to prevent unnecessary stress and discomfort. Correct by November 5, 2022.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
02-NOV-2022

Received by Title: Licensee

Date:
02-NOV-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501256	23-A-0637	001	KEITH NOLT	02-NOV-2022

Count	Scientific Name	Common Name
000372	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000372	Total	