



Inspection Report

Ammon S Beiler
123 Rockville Rd
Rebersburg, PA 16872

Customer ID: **501342**
Certificate: **23-A-0644**
Site: 001
AMMON BEILER

Type: ROUTINE INSPECTION
Date: 04-MAR-2020

3.31(a)(1)

SANITATION.

Approximately 25% of the enclosures have side walls with a buildup of dirt and grime. Approximately 75% of the enclosures have a buildup of bedding, fecal material, and debris between the wire dividers that separate one column of enclosures from the next column.

Failure to clean enclosures to prevent a buildup of dirt and debris can cause unpleasant odors, lead to contamination of the enclosure, and attract pests and vermin that carry diseases that result in risks to the health of the animals.

Enclosures must be cleaned and sanitized as often as necessary to prevent a build-up of debris and fecal material and sanitized at a minimum of once every two weeks.

Correct by: March 18, 2020

This inspection and exit interview were conducted with the facility representative.

Prepared By: RADZAI CHRISTINA, D V M USDA, APHIS, Animal Care

Date:
04-MAR-2020

Title: VETERINARY MEDICAL OFFICER 6138

Received by Title: FACILITY REPRESENTATIVE

Date:
04-MAR-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501342	23-A-0644	001	AMMON BEILER	04-MAR-20

Count	Scientific Name	Common Name
000896	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000896	Total	