



Inspection Report

Reuben Fox
3994 Blain Rd
Loysville, PA 17047

Customer ID: **501841**
Certificate: **23-A-0645**
Site: 001
REUBEN FOX

Type: ROUTINE INSPECTION
Date: 03-DEC-2018

3.28(c)(1)(iii)

PRIMARY ENCLOSURES.

Approximately 60 male, weaned guinea pigs are housed in an enclosure measuring 36 inches by 58 inches or 2088 square inches of floor space. Weaned guinea pigs up to 350 grams require at least 60 square inches of floor space. Can not house more than 34 guinea pigs weighing up to 350 grams in this size enclosure. Licensee must ensure guinea pigs have at least the required amount of floor space to prevent crowding, stress, and health problems. Correct by December 6, 2018.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
03-DEC-2018

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
03-DEC-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501841	23-A-0645	001	REUBEN FOX	03-DEC-18

Count	Scientific Name	Common Name
000250	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000250	Total	