



Inspection Report

Jacob Kauffman
1097 E Valley Rd
Loganton, PA 17747

Customer ID: **502052**
Certificate: **23-A-0649**
Site: 001
JACOB KAUFFMAN

Type: ROUTINE INSPECTION
Date: 27-JUN-2019

3.29(d)

FEEDING.

On today's inspection about 75% of the self feeders have rust around the lip where the guinea pigs access their food. Areas with rust can not be properly cleaned or sanitized. All food receptacles shall be kept clean and shall be sanitized at least once every 2 weeks. All feeders with rust must be repairs, resurfaced or replaced to allow proper cleaning and sanitation.

Correct By: 9/1/2019

This inspection and exit interview were conducted with the Licensee.

Prepared By: SEBERA SHANNON, A C I USDA, APHIS, Animal Care

Date:
27-JUN-2019

Title: ANIMAL CARE INSPECTOR 6020

Received by Title: LICENSEE

Date:
27-JUN-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502052	23-A-0649	001	JACOB KAUFFMAN	27-JUN-19

Count	Scientific Name	Common Name
000524	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000524	Total	