



Inspection Report

Joseph G Fisher
856 Wesley Rd
Kirkwood, PA 17536

Customer ID: **501893**
Certificate: **23-A-0650**
Site: 001
JOSEPH G FISHER

Type: ROUTINE INSPECTION
Date: 27-JAN-2020

3.28(c)(1)(iii)

PRIMARY ENCLOSURES.

Space. There are 37 enclosures out of 168 total enclosures with inadequate space. Enclosures measure 36 inches by 18 inches or 648 square inches of floor space. Nursing females with their litters and guinea pigs weighing 350 grams or more require 101 square inches. There are 35 enclosures with 7 adult guinea pigs with offspring and 2 enclosures with 8 adult guinea pigs. Inadequate space can cause stress and increase disease risks and fighting. Licensee must ensure that animals are provided with adequate floor space to prevent stress, fighting, and disease risks. Can not house more than 6 adult guinea pigs in this size enclosure. Correct by February 29, 2020.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
27-JAN-2020

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
27-JAN-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501893	23-A-0650	001	JOSEPH G FISHER	27-JAN-20

Count	Scientific Name	Common Name
001025	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
001025	Total	