



Inspection Report

Amos Fisher
1052 Lancaster Pike
Quarryville, PA 17566

Customer ID: **502991**
Certificate: **23-A-0661**
Site: 001
AMOS FISHER

Type: ROUTINE INSPECTION
Date: 27-JAN-2020

3.31(c)

SANITATION.

Pest Control. There are numerous rodent droppings on a shelf by the front door containing tubes of caulk and miscellaneous items. A mouse trap was present on the shelf, but it was not in use. Lack of a pest control program can expose the guinea pigs to disease hazards and health problems. Licensee must establish and maintain an effective program for the control of mammalian pests such as mice to protect the health of the guinea pigs. Correct by February 1, 2020.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
27-JAN-2020

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
27-JAN-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502991	23-A-0661	001	AMOS FISHER	27-JAN-20

Count	Scientific Name	Common Name
000320	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000320	Total	