



Inspection Report

AMOS M FISHER
1052 LANCASTER PIKE
QUARRYVILLE, PA 17566

Customer ID: **502991**
Certificate: **23-A-0661**
Site: 001
AMOS FISHER

Type: ROUTINE INSPECTION
Date: 05-MAY-2021

3.28(c)(1)(iii)

Primary enclosures.

Space. Insufficient floor space was being provided in two weanling enclosures (plastic tubs). Enclosures measure 26 inches by 40 inches or 1040 square inches of floor space. The top weanling enclosure had 22 guinea pigs and the bottom weanling enclosure had 29 guinea pigs. Weaned guinea pigs weighing up to 350 grams require at least 60 square inches of floor space each.

Inadequate space can cause stress, crowding, aggression in animals, and increase disease risks. Licensee must ensure that the guinea pigs are provided with at least the minimum amount of floor space. Can not house more than 17 weanlings in the plastic tubs. Correct by May 7, 2021.

This inspection was conducted with the licensee and the exit interview was conducted with a family member.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
05-MAY-2021

Received by Title: Family Member

Date:
05-MAY-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502991	23-A-0661	001	AMOS FISHER	05-MAY-2021

Count	Scientific Name	Common Name
000379	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000379	Total	