



Inspection Report

Jonas Z Fisher
5963 Street Road
Kirkwood, PA 17536

Customer ID: **502236**
Certificate: **23-A-0668**
Site: 001
JONAS Z FISHER

Type: ROUTINE INSPECTION
Date: 02-OCT-2018

3.31(a)(2)

SANITATION.

There were five enclosures housing a total of 38 adults with offspring which had wet bedding. Enclosures were last cleaned on Saturday (9/29/18). Primary enclosures that become soiled or wet to a degree that might be harmful or uncomfortable to the animals therein due to leakage of the watering system, the guinea pigs shall be transferred to clean primary enclosures. Replacing water bottles or directing water away from bedding on floor of enclosures may improve the problem of wet bedding. Correct by ensuring the primary enclosures are kept clean and that guinea pigs are transferred to clean enclosures if the bedding becomes wet. Correct by October 3, 2018.

This inspection was conducted with owner's son and exit interview was conducted with owner's daughter.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
02-OCT-2018

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER'S DAUGHTER

Date:
02-OCT-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502236	23-A-0668	001	JONAS Z FISHER	02-OCT-18

Count	Scientific Name	Common Name
000083	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000083	Total	