



Inspection Report

JONAS FISHER
5963 STREET ROAD
KIRKWOOD, PA 17536

Customer ID: **502236**
Certificate: **23-A-0668**
Site: 001
JONAS Z FISHER

Type: ROUTINE INSPECTION
Date: 18-AUG-2022

2.75(b)(1)

Records: Dealers and exhibitors.

A current record of guinea pigs was not available for review during this inspection. Approximately 202 adult guinea pigs, weanlings, and newborns were counted during this inspection. There were no inventory records maintained for several months. Failure to maintain these records can make it difficult to assess the health of the caviary by identifying animal losses by decreased number of guinea pig born, raised, or died. The licensee must maintain records containing the required information for animals which disclose the number of guinea pigs held, owned, acquired or disposed of including births and deaths. Correct by August 25, 2022.

3.30

Repeat

Watering.

All the water bottles have a layer of dark, green algae covering the inside surfaces. Failure to provide potable water can expose the guinea pigs to health risks. Water receptacles must be sanitized at least once every 2 weeks to ensure water is potable/drinkable. Licensee must ensure that water bottles are sanitized when dirty, and that bottles are sanitized at least once every 2 weeks. Remains uncorrected.

3.31(a)(1)

Sanitation.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
18-AUG-2022

Received by Title: Family Member

Date:
18-AUG-2022



Inspection Report

Two enclosures housing a total of 20 adult guinea pigs and 14 newborns had moist fecal accumulations covering the floor. Four enclosures housing a total of 21 adult guinea pigs and 14 newborns had accumulations of dry fecal material covering the floor (gray pans). The cleaning process (method and frequency) utilized is not effective in removing this accumulation inside enclosures. Lack of regular cleaning and sanitation exposes the guinea pigs to potential disease hazards such as bacterial, viral, and fungal infections. These 6 enclosures were cleaned and fresh shavings were provided during this inspection. Licensee must ensure that enclosures are kept clean and sanitized often enough to prevent an accumulation of excreta(feces), and soiled bedding. In addition, enclosures must be sanitized at least once every 2 weeks. Correct by August 20, 2022.

This inspection and exit interview were conducted with _____.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
18-AUG-2022

Received by Title: Family Member

Date:
18-AUG-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502236	23-A-0668	001	JONAS Z FISHER	18-AUG-2022

Count	Scientific Name	Common Name
000202	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000202	Total	