



Inspection Report

AMOS F STOLTZFUS
250 FREEMONT ROAD
NOTTINGHAM, PA 19362

Customer ID: **44915**
Certificate: **23-A-0672**
Site: 001
AMOS F STOLTZFUS

Type: ROUTINE INSPECTION
Date: 16-FEB-2021

3.26(d)

Facilities, indoor.

Interior surfaces. A wall is under construction separating the guinea pig room from the food storage area. There is bare wood on the wall panels and support frames. Interior building surfaces must be constructed and maintained so that surfaces are impervious to moisture, will not retain odors, and can be readily sanitized. The bare wood on wall and supports must be sealed or covered with an impervious surface so that such surfaces are impervious to moisture and can be readily sanitized. Correct by April 1, 2021.

3.31(a)(1)

Sanitation.

Guinea pig enclosures numbered 32, 36, 80, 83, 84, and 88 had accumulations of dry fecal material covering the floor. A total of 29 adult guinea pigs and 6 offspring were present in these six enclosures. The six enclosures were cleaned and fresh bedding was provided during this inspection. The weekly cleaning process (method and frequency) utilized is not effective in removing this fecal accumulation inside the enclosures. Ineffective cleaning and sanitation exposes the animals to potential disease hazards such as bacterial, fungal and parasites. Correct by ensuring that enclosures are kept clean and sanitized often enough to prevent an accumulation of excreta (feces) and soiled bedding, and that the primary enclosures are sanitized at least once every 2 weeks. Correct by February 17, 2021.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
16-FEB-2021

Received by Title: Facility Representative

Date:
16-FEB-2021



Inspection Report

This inspection and exit interview were conducted with the facility representative.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
16-FEB-2021

Received by Title: Facility Representative

Date:
16-FEB-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44915	23-A-0672	001	AMOS F STOLTZFUS	16-FEB-2021

Count	Scientific Name	Common Name
000659	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000659	Total	