



Inspection Report

Elmer Z Zook
313 CABIN DRIVE
EPHRATA, PA 17522

Customer ID: **504356**
Certificate: **23-A-0676**
Site: 001
ELMER Z ZOOK

Type: ROUTINE INSPECTION
Date: 15-MAY-2023

3.10(a)

Watering

There were 4 enclosures housing weaned puppies with empty water bowls. Two of the four enclosures had overturned water bowls from puppies playing with the bowls. Licensee stated that the puppies are offered water 4 times a day. Potable water must be continuously available for dogs unless restricted by the attending veterinarian. Failure to provide water continuously or prevent water receptacles from remaining upright for dogs/puppies could allow the animals to become thirsty. Licensee must provide water continuously to the dogs/puppies and prevent water receptacles from overturning. Correct by May 16, 2023.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
15-MAY-2023

Received by Title: Licensee

Date:
15-MAY-2023



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 504356
Inspection Date: 15-May-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
504356	23-A-0676	001	ELMER Z ZOOK	15-MAY-2023

Count	Scientific Name	Common Name
000063	<i>Canis familiaris</i>	DOG ADULT
000058	<i>Canis familiaris</i>	DOG PUPPY
000121	Total	