



Inspection Report

AMMON LAPP
330 Wengerd Rd
MIFFLINTOWN, PA 17059

Customer ID: **506756**
Certificate: **23-A-0699**
Site: 001
AMMON M LAPP

Type: ROUTINE INSPECTION
Date: 06-OCT-2020

3.31(a)(1)

Sanitation.

A majority of the guinea pig enclosures contained a large accumulation of fecal material and debris with pieces of corn stalks scattered over the top. The shavings used as primary bedding were barely visible in most of the enclosures. Failure to clean and sanitize primary enclosures often enough to prevent a buildup of excreta can introduce disease hazards to the animals as well as create unpleasant odors and attract vermin. The licensee must clean the enclosures as often as necessary to prevent a build-up of fecal material and sanitize at least once every 2 weeks.

Correct by October 9, 2020.

This inspection and exit interview were conducted with the licensee.

Prepared By: AMY NOOYEN

USDA, APHIS, Animal Care

Date:
06-OCT-2020

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
06-OCT-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
506756	23-A-0699	001	AMMON M LAPP	06-OCT-2020

Count	Scientific Name	Common Name
000273	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000273	Total	