



Inspection Report

JOHN KING VERNA KING
2285 SEAGRAVE DR
WATSONTOWN, PA 17777

Customer ID: **502939**
Certificate: **23-A-0711**
Site: 001
JOHN & VERNA KING

Type: ROUTINE INSPECTION
Date: 26-OCT-2023

3.28(c)(1)(iii) Repeat

Primary enclosures.

Space. Insufficient space was being provided to 25 weanling guinea pigs in Row 3, middle enclosure on the right side. This enclosure measured 47 inches long by 24 inches wide or 1128 square inches of floor space. Weanlings weighing up to 350 grams require at least 60 square inches of floor space per animal. Can not house more than 18 weanlings in this size enclosure.

Insufficient space can cause stress and increase aggression in animals which can increase bites, scratches, ear chewing, and other injuries. Licensee must ensure that guinea pigs are provided with at least the minimum amount of floor space per animal to prevent overcrowding and aggression.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
20-NOV-2023

Received by Title: Licensee

Date:
20-NOV-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502939	23-A-0711	001	JOHN & VERNA KING	26-OCT-2023

Count	Scientific Name	Common Name
000441	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000441	Total	