



Inspection Report

Christian Smoker
35 Oak Road
KIRKWOOD, PA 17536

Customer ID: **507918**
Certificate: **23-A-0720**
Site: 001
CHRISTIAN SMOKER

Type: ROUTINE INSPECTION
Date: 30-NOV-2021

3.25(a)

Facilities, general.

There are approximately 10 adult guinea pigs loose on the floor and hiding under the wood stove. Housing facilities need to protect the guinea pigs from injury, prevent pests and other animals from entering, and contain the animals from escaping. Failure to do so can lead to injury or death from falls to the ground, escape from the animal building, or become trapped outside the enclosures. The facility including enclosures must be structurally sound and maintained in good repair, to protect the guinea pigs from injury, and to restrict other animals such as mice from entering. Correct by December 6, 2021.

3.25(c)

Facilities, general.

Storage. There was spilled feed from a ripped bag on top of the feed pallet. Open and ripped bags of feed need to be stored in closed containers with lids or covers. Failure to do so can lead to spoilage or contamination. Correct by placing opened bags of feed into a container that can be sealed. Correct by December 4, 2021.

This inspection was conducted with the licensee and the exit interview was conducted with a family member.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
30-NOV-2021

Received by Title: Family Member

Date:
30-NOV-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
507918	23-A-0720	001	CHRISTIAN SMOKER	30-NOV-2021

Count	Scientific Name	Common Name
000443	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000443	Total	