



Inspection Report

Robert E Campbell
1222 Leisure Acres Road
Allenwood, PA 17810

Customer ID: **6002909**
Certificate: **23-A-0750**
Site: 001
Robert E Campbell

Type: ROUTINE INSPECTION
Date: 16-DEC-2021

3.25(a)

Facilities, general.

Although the enclosure walls were 7 inches in height, during the inspection, three guinea pigs were observed to be out of their enclosures. One was loose on the floor of the facility and two were outside the facility.

Guinea pigs that have escaped their enclosures could be at risk of injury as well as the inability to access food and water. In particular, guinea pigs that are outside the facility are at risk of escaping and not being recaptured and being injured or killed by predators.

The licensee must ensure that the enclosure contains the animals at all times and does not allow them to escape.

Housing facilities must be adequate to protect the animals from injury and to contain the animals.

Correct by: December 18, 2021

This inspection and exit interview were conducted with the licensee.

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
16-DEC-2021

Received by Title: Licensee

Date:
16-DEC-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6002909	23-A-0750	001	Robert E Campbell	16-DEC-2021

Count	Scientific Name	Common Name
000737	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000737	Total	