



Inspection Report

David S Glick
55 Newcomers Rd
Christiana, PA 17509

Customer ID: **6009836**
Certificate: **23-A-0755**
Site: 001
David S Glick

Type: ROUTINE INSPECTION
Date: 08-MAR-2022

3.28(c)(1)(iii)

Primary enclosures.

Space. Insufficient space was being provided to approximately 173 weanling guinea pigs in 10 enclosures with the rubber pans. Enclosure measure 32 inches by 22 inches or 704 square inches of floor space. Weanling guinea pigs weighing up to 350 grams require at least 60 inches of floor space per animal. Ten enclosures were housing 13 or more weanling guinea pigs in each cage. Can not house more than 11 weanling guinea pigs in this size enclosure.

Inadequate space can cause stress, overcrowding, and aggression in animals. Licensee must ensure that guinea pigs are provided with at least the minimum amount space per animal to prevent unnecessary stress and discomfort. Correct by March 30, 2022.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
08-MAR-2022

Received by Title: Licensee

Date:
08-MAR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6009836	23-A-0755	001	David S Glick	08-MAR-2022

Count	Scientific Name	Common Name
000469	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000469	Total	