



Inspection Report

Samuel J Stoltzfus
106 Cedar Hill Rd
Peach Bottom, PA 17563

Customer ID: **6014295**
Certificate: **23-A-0778**
Site: 001
Samuel J Stoltzfus

Type: ROUTINE INSPECTION
Date: 26-JAN-2023

3.56(a)(3)

Sanitation.

The large enclosure housing 8 weaned rabbits had more than one weeks accumulation of excreta under the wire flooring. Troughs or pans under rabbit enclosures must be cleaned at least one each week. Failure to removed excreta from troughs or pans weekly can increase the risk of disease, odors, and unsanitary conditions. Correct by cleaning excreta and debris from troughs or pans at least weekly. Correct by January 28, 2023.

This inspection and exit interview were conducted with a family member.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
26-JAN-2023

Received by Title: Family Member

Date:
26-JAN-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6014295	23-A-0778	001	Samuel J Stoltzfus	26-JAN-2023

Count	Scientific Name	Common Name
000459	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000028	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000487	Total	