



Inspection Report

Raymond Fisher
1052 Lancaster Pike
Quarryville, PA 17566

Customer ID: **332558**
Certificate: **23-B-0227**
Site: 001
RAYMOND FISHER

Type: ROUTINE INSPECTION
Date: 08-AUG-2017

3.28(a)(1) REPEAT

PRIMARY ENCLOSURES.

Primary enclosures. The four rack pens with a total of 20 enclosures housing a total of 226 guinea pigs still have rusty wire on the front side by the automatic water receptacles. Primary enclosures must be kept in good repair to protect the guinea pigs from injury, contain them securely, and constructed of smooth material which is impervious to liquids and moisture. The rusty wire by the water valves and PVC drain pipe must be repaired or replaced so that the wire can be repeatedly cleaned and disinfected, will not retain odors, or expose the guinea pigs to disease hazards.

In addition, there is wire with protruding ends on the inside of front door to enclosures numbered 2 through 20. Primary enclosures must be structurally sound and maintained in good repair to protect the guinea pigs from injury. The wire with protruding ends on the front doors to enclosures 2 - 20 must be repaired or replaced so that there are no sharp or protruding points that could injure the guinea pigs.

3.28(c)(1)(ii)

PRIMARY ENCLOSURES.

The wire on the front door of the following top rack enclosures is not at least 7 inches in height:

- 1) Enclosure # 6 housing 15 guinea pigs in only 4.5 inches in height by 36 inches wide on the front door.
- 2) Enclosure # 11 housing 14 guinea pigs is only 4.75 inches in height by 36 inches wide on the front door.
- 3) Enclosure # 16 housing 10 guinea pigs is only 6 inches in height by 36 inches wide on the front door.

The wire on the front door of the above three rack enclosures must be at least 7 inches in height to prevent the guinea pigs from falling out and injuring themselves on the floor below or escaping. The floor is approximately 5 feet below these three enclosures. Correct by August 22, 2017.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
08-AUG-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
08-AUG-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332558	23-B-0227	001	RAYMOND FISHER	08-AUG-17

Count	Scientific Name	Common Name
000432	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000432	Total	