



Inspection Report

Michael L. Troyer
1392 County Road 600
Baltic, OH 43804

Customer ID: **323446**
Certificate: **31-A-0377**
Site: 001
MICHAEL TROYER

Type: ROUTINE INSPECTION
Date: 03-NOV-2016

3.6(a)(2)(ii)

PRIMARY ENCLOSURES.

One primary enclosure containing two adult dogs was found to have the metal threshold between the indoor and outdoor portions of the enclosure in disrepair. This threshold had broken and bent in toward the enclosure and contained multiple sharp points. These points had small tufts of hair attached indicating that the animals were snagging the threshold as they went between the indoor and outdoor. This broken threshold may cause injury to the dogs and the area is difficult to appropriately clean and sanitize with the bent and broken metal. Primary enclosures must be constructed and maintained so that they protect the dogs from injury.

Correct by: 10- November 2016

This inspection and exit interview were conducted with the Licensee.

Prepared By: MICHAEL NEAFSEY, D V M USDA, APHIS, Animal Care

Date:
03-NOV-2016

Title: ASSISTANT DIRECTOR 6094

Received by Title: LICENSEE

Date:
03-NOV-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
323446	31-A-0377	001	MICHAEL TROYER	03-NOV-16

Count	Scientific Name	Common Name
000024	<i>Canis lupus familiaris</i>	DOG ADULT
000020	<i>Canis lupus familiaris</i>	DOG PUPPY
000044	Total	