



Inspection Report

Robert Coblentz
3388 U S 62
Millersburg, OH 44654

Customer ID: **34986**
Certificate: **31-A-0405**
Site: 001
ROBERT COBLENTZ

Type: ROUTINE INSPECTION
Date: 06-JUL-2017

3.6(a)(2)

PRIMARY ENCLOSURES.

Trapped between the wire at the back of around 10% of the cages and the wall they are mounted to is a build up of excreta, hair, and rust stains. This buildup on the surface does not allow the wall to be readily cleaned or sanitized. The licensee has put in new caging in the last year, but the underlying wall is still accumulating buildup at this time. Additionally, three whelping boxes show areas of excessive chew damage around the doors.

These surfaces are not able to be readily cleaned and sanitized because of the buildup, and thus can harbor disease agents that can cause illness in the dogs. The specified areas above must be repaired and cleaned appropriately to ensure optimal animal health.

Correct by August 8th, 2017

This inspection and exit interview were conducted with the licensee.

Additional Inspectors

Crowley Lacy, Veterinary Medical Officer

Prepared By: CAMPITELLI D.V.M KATHRYN, D V M USDA, APHIS, Animal Care

Date:
06-JUL-2017

Title: VETERINARY MEDICAL OFFICER 6085

Received by Title: LICENSEE

Date:
06-JUL-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
34986	31-A-0405	001	ROBERT COBLENTZ	06-JUL-17

Count	Scientific Name	Common Name
000043	<i>Canis lupus familiaris</i>	DOG ADULT
000025	<i>Canis lupus familiaris</i>	DOG PUPPY
000068	Total	