



Inspection Report

Mose O Hershberger
29808 County Road 190
Fresno, OH 43824

Customer ID: **328228**
Certificate: **31-A-0433**
Site: 001
MOSE HERSHBERGER

Type: ROUTINE INSPECTION
Date: 15-MAR-2017

3.4(b)(3)

OUTDOOR HOUSING FACILITIES.

There are 5 labs housed in an enclosure with two shelter structures that do not have wind/rain breaks at the entrance of the structure. Without having wind/rain breaks at the entrance of the shelter structure, these animals do not have adequate protection from the weather extremes; wind, rain and snow. All outdoor enclosures must have shelter structures with wind/rain breaks at the entrance to the structure.

Correct By 3/16/2017

3.4(b)(4)

OUTDOOR HOUSING FACILITIES.

There are 5 adult labs that have two shelter structures within their enclosure. These enclosures were found to have no bedding provided within these structures at the time of inspection. The temperature at the facility at the time of inspection (1:30 PM) was 34.8 degrees fahrenheit in a sunny area and 25 degrees fahrenheit with the wind chill factor in the same area. Bedding is critical to these animals to maintain normal body temperatures. Clean, dry bedding material must be provided if the ambient temperature is below 50 degrees fahrenheit. Additional clean, dry bedding is required when the temperature is 35 degrees fahrenheit or lower.

The Licensee's wife provided each of the shelter structures with adequate bedding at the time of inspection.
Correct from this day forward.

This inspection and exit interview were conducted with the Licensee's Wife.

Prepared By: SEBERA SHANNON, A C I USDA, APHIS, Animal Care

Date:
15-MAR-2017

Title: ANIMAL CARE INSPECTOR 6020

Received by Title: LICENSEE'S WIFE

Date:
15-MAR-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328228	31-A-0433	001	MOSE HERSHBERGER	15-MAR-17

Count	Scientific Name	Common Name
000022	<i>Canis lupus familiaris</i>	DOG ADULT
000022	<i>Canis lupus familiaris</i>	DOG PUPPY
000044	Total	