



Inspection Report

ATLEE BARKMAN
5020 C R 59
BALTIM, OH 43804

Customer ID: **502569**
Certificate: **31-A-0689**
Site: 001
ATLEE BARKMAN

Type: RE-LICENSE INSPECTION
Date: 28-DEC-2022

3.1(c)(1)

Housing facilities, general.

The facility has 6 kennel dividers with excessive chew damage along the top edges. There are also 11 plastic doorstops being used on the kennel doors that have excessive chew damage. Chew damage does not allow for proper sanitization and can lead to an increased risk of disease in the dogs. Correct by ensuring that all surfaces are maintained including houses, dens, and other furniture-type fixtures and objects within the facility that cannot be readily cleaned and sanitized are replaced when worn or soiled.

This is a 1st Re-License Inspection for a Class "A" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by 26-February-2023 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By: MARK SANDERBECK
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
29-DEC-2022

Received by Title: _____

Date:
29-DEC-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502569	31-A-0689	001	ATLEE BARKMAN	28-DEC-2022

Count	Scientific Name	Common Name
000068	<i>Canis lupus familiaris</i>	DOG ADULT
000054	<i>Canis lupus familiaris</i>	DOG PUPPY
000122	Total	