



Inspection Report

Ada A Hershberger
1854 Tr 185
Baltic, OH 43804

Customer ID: **503022**
Certificate: **31-A-0697**
Site: 001
ADA A HERSHBERGER

Type: ROUTINE INSPECTION
Date: 11-SEP-2018

3.1(c)(1)(i)

HOUSING FACILITIES, GENERAL.

On today's inspection 12 out of 29 of the enclosure doors on the inside of the building for the non-whelping area had a moderate to excessive amount of rust. Rusted surfaces do not allow for proper cleaning and sensitization requirements that are set forth in 3.11 of this subpart/regulation. The Licensee must ensure all surfaces to include the enclosure doors are maintained without excessive rusting and to allow for proper cleaning and sensitization.

Correct by: 9/21/2018

This inspection and exit interview were conducted with the Licensee.

Prepared By: SEBERA SHANNON, A C I USDA, APHIS, Animal Care

Date:
14-SEP-2018

Title: ANIMAL CARE INSPECTOR 6020

Received by Title: LICENSEE

Date:
14-SEP-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503022	31-A-0697	001	ADA A HERSHBERGER	11-SEP-18

Count	Scientific Name	Common Name
000046	<i>Canis lupus familiaris</i>	DOG ADULT
000036	<i>Canis lupus familiaris</i>	DOG PUPPY
000082	Total	