



Inspection Report

Doris Goebel
12257 S 450 W
Haubstadt, IN 47639

Customer ID: 2722
Certificate: 32-A-0048
Site: 001
3 G FARMS

Type: ROUTINE INSPECTION
Date: 23-FEB-2017

3.125(a)

FACILITIES, GENERAL.

The bottom of the entry door on the first corn crib needs repair due to the metal wire being broken where it should connect to the bottom of the door frame. There is a patch, however the metal wire has pulled away from the patch, causing the door frame to be weak and a possible area where the bear could work on and cause more damage.

Weak areas in the fencing and doors of the bear enclosure could be possible sources of injury due to the loose metal and wires, or a possible location the bear could tear open enough to escape or injure itself trying to escape.

All loose and broken wires and framing should be repaired and/or replaced when it becomes rusted, weakened or broken from the framing material or against itself. The licensee must repair/replace and weak areas in the corn cribs that house the bears, including the bottom of the first entry door.

To be corrected by: February 28, 2017

3.131(a)

SANITATION.

All three corn cribs containing 3 bears are in need of waste removal and wet straw in the den of 'Pappa bear'. There are several piles of feces in each crib that should be removed. It has been one week since the cribs have been cleaned. Normally the cribs are cleaned 2 times per week, however this week it has been only once. The male bear was soaked on his right side with water, due to the straw being too wet in his den from water being dumped in it, by him the previous night.

A build up of feces, dirt, debris and web bedding in the enclosures can be a source of illness and discomfort for the regulated animals if not removed before the buildup in a timely manner.

The licensee must increase the cleaning of the bear pens more often to prevent the buildup of feces, old food, wet straw and debris that can cause the regulated animals discomfort or inability to move freely without coming in contact with the debris. All wet bedding must be removed and replaced with dry.

Prepared By: COMPTON ANNMARIE, A C I USDA, APHIS, Animal Care

Date:
24-FEB-2017

Title: ANIMAL CARE INSPECTOR 6022

Received by Title: OWNER

Date:
24-FEB-2017



Inspection Report

To be corrected by: February 23, 2017

Inspection and exit interview conducted with licensee.

Prepared By: COMPTON ANNMARIE, A C I USDA, APHIS, Animal Care

Date:
24-FEB-2017

Title: ANIMAL CARE INSPECTOR 6022

Received by Title: OWNER

Date:
24-FEB-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2722	32-A-0048	001	3 G FARMS	23-FEB-17

Count	Scientific Name	Common Name
000003	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000003	Total	