



Inspection Report

BEN GRABER
9643 E 875 N
ODON, IN 47562

Customer ID: **8066**
Certificate: **32-A-0190**
Site: 001
BEN GRABER

Type: ROUTINE INSPECTION
Date: 18-OCT-2022

3.1(c)(2)

Housing facilities, general.

Pens 4, 5, 6, 9, and 13 contained 2 dogs in each pen that had 1-2 stairs each that had evidence of destruction by chewing causing the surface of the stairs to be irregular and pitted along the edges.

The pitting on the surface of the stairs cannot readily be cleaned and sanitized properly according to the regulation in order to prevent bacteria from building up and being a possible health issue.

The licensee needs to repair or replace any surfaces when worn or soiled that cannot be readily cleaned and sanitized.

To be corrected by: The stairs were repaired by the end of the exit interview

This inspection and exit interview were conducted with facility representative.

Additional Inspectors:

Lauren Murphy, VETERINARY MEDICAL OFFICER

Prepared By: ANNMARIE COMPTON
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
18-OCT-2022

Received by Title: Facility Representative

Date:
18-OCT-2022



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 8066
Inspection Date: 18-Oct-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8066	32-A-0190	001	BEN GRABER	18-OCT-2022

Count	Scientific Name	Common Name
000045	<i>Canis lupus familiaris</i>	DOG ADULT
000017	<i>Canis lupus familiaris</i>	DOG PUPPY
000062	Total	