



## Inspection Report

---

Steven Ray Lehman  
Railroad Kennel  
11522 State Road 120  
Middlebury, IN 46540

Customer ID: **44292**  
Certificate: **32-A-0345**  
Site: 001  
STEVEN LEHMAN

Type: ROUTINE INSPECTION  
Date: 26-AUG-2015

---

### 2.40(b)(1)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

A tray of Intra-trac3 vaccine was found that expired on 8/232015. Expired drugs may be harmful or ineffective in their intended purpose. Only use medications that are in date to ensure safe proper care and treatment for all dogs.

### 2.40(b)(2)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Poodle with tag # 29 was found with abnormal nipples. The 9 year old female was recently weaned and the breast tissue had receded however the nipples remain abnormally lumpy and slightly discolored. This may be a symptom of serious disease.

Contact the veterinarian and have the dog evaluated. Any guidance from the veterinarian should be followed.

Many of the dogs in the kennel have long nails. Long nails can easily tear and injure the dogs. Keep all nails properly trimmed to avoid injury.

### 3.1(c)(3)

#### HOUSING FACILITIES, GENERAL.

The feeders are held to the enclosures with bungee cords. The cords are coated with excessive hair and grime. The cords need to be kept clean.

The water line along the top of the enclosures has a significant amount of fly droppings and general accumulated grime. The grime needs to be cleaned and the top of the pens kept clean to ensure the health and well-being of the dogs housed in the facility.

### 3.6(a)(2)

---

Prepared By: LORI LINN, A C I USDA, APHIS, Animal Care

Date:  
28-AUG-2015

Title: ANIMAL CARE INSPECTOR 1080

Received by Title: OWNER

Date:  
26-AUG-2015



## Inspection Report

---

### PRIMARY ENCLOSURES.

The outside portion of the enclosures is made from coated wire. The coating is missing from several portions of the panel. The missing coating exposes the wire which is then too narrow to be acceptable for use on the floor of the pen. The exposed wire also easily rusts which reduces its strength. The rusty sections cannot be cleaned and sanitized as necessary. All enclosures must be maintained so the enclosure is safe, strong and sanitizeable.

Inspection and exit interview conducted with the owner and ACI s Linn and Wilken.

No regulated activity may be conducted at this new location until an inspection with no non-compliances has been conducted.

---

**Prepared By:** LORI LINN, A C I USDA, APHIS, Animal Care

**Date:**  
28-AUG-2015

**Title:** ANIMAL CARE INSPECTOR 1080

**Received by Title:** OWNER

**Date:**  
26-AUG-2015



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44292	32-A-0345	001	STEVEN LEHMAN	26-AUG-15

Count	Scientific Name	Common Name
000016	<i>Canis lupus familiaris</i>	DOG ADULT
000011	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000027</b>	<b>Total</b>	