



Inspection Report

Amos E Beiler Jr
3362 W Fountain City Pike
Fountain City, IN 47341

Customer ID: **326544**
Certificate: **32-A-0406**
Site: 001
AMOS E BEILER JR

Type: ROUTINE INSPECTION
Date: 16-SEP-2014

3.1(a)

HOUSING FACILITIES, GENERAL.

On inspection, the chain link fencing between the outdoor runs of the kennel was determined to be in disrepair with numerous sharp wire ends protruding inside the enclosure. Seven of the chain link fences used in between the outdoor runs had multiple areas of numerous loose wires that had become unraveled and were protruding inside the run. The ends of the wires were sharp to the touch and easily cut through an exam glove. The chain link fencing for three fence-lines had such significant deterioration that the dogs inside the runs could and did cross in between individual runs. Adult Siberian Huskies were observed crouching down and tunneling through the fence to the adjacent run. No cuts or injuries were observed on any of the animals. The licensee has been transiting the kennel from chain link fencing to a stronger metal fencing and has both the fencing and materials to replace the disrepair fences. Sharp points or jagged edges could cause injury and pain to an animal. Loose wires are also more likely to break off and be eaten. Additionally, compatible housing may not be able to be maintained if animals are crossing over into separate runs. All housing surfaces of the facility must be free of all sharp points, edges, and must contain the animals in the separate runs. Monitor all wire fences to ensure loose wires are removed and could not harm any animals. Corrected at time of inspection.

3.11(a)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

The outdoor kennel has an excessive accumulation of feces under the outdoor runs. There was a layer of feces and other waste that was approximately 3 to 4 inches high from the ground directly underneath the entire length of the kennel runs. Several runs had feces approximately 2 to 3 inches from the flooring of the kennel runs. The licensee stated he had not removed any feces or waste from underneath the adult dog runs for about 4 years. There was no obvious odor or significant amount of pest observed on inspection. It was overcast and cool with a moderate breeze. Accumulation of feces and other waste prevents proper sanitation and odor control. Furthermore, the accumulation of waste encourages flies and other pest to live and grow near the animals. Remove all accumulated feces and waste from under the kennel and routinely remove all excreta to prevent an excessive accumulation of feces. Correct by: 9/26/2014

The inspection and exit interview were conducted with the licensee.

Prepared By: CODY YAGER, D V M USDA, APHIS, Animal Care

Date:
19-SEP-2014

Title: SUPERVISORY ANIMAL CARE SPECIALIST 6069

Received by Title: LICENSEE

Date:
19-SEP-2014



Inspection Report

Prepared By: CODY YAGER, D V M USDA, APHIS, Animal Care

Date:
19-SEP-2014

Title: SUPERVISORY ANIMAL CARE SPECIALIST 6069

Received by Title: LICENSEE

Date:
19-SEP-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326544	32-A-0406	001	AMOS E BEILER JR	16-SEP-14

Count	Scientific Name	Common Name
000027	<i>Canis lupus familiaris</i>	DOG ADULT
000005	<i>Canis lupus familiaris</i>	DOG PUPPY
000032	Total	